

SUPERIOR QUALITY **100% GUARANTEED**

# **EXTENDED LIFE**

## **AUTOMOTIVE** CHEMICALS



AUTOMOTIVE, COMMERCIAL,  
INDUSTRIAL AND MACHINERY



KEEP YOUR MACHINE  
RUNNING IN TOP FORM



IMPROVED PERFORMANCE



MAXIMUM PROTECTION

2-CYCLE  
ENGINE OIL



ANTIFREEZE  
& COOLANT  
PREMIUM MAXCOOL  
PREMIUM GREEN  
LIGHT DUTY GOLD  
HEAVY DUTY RED



BRAKE FLUID  
SYNTHETIC DOT-3  
PREMIUM SYNTHETIC DOT-4



BRAKE CLEANER

GREASES  
ALL-PURPOSE LITHIUM  
HI-TEMP RED



ADDITIVES  
STARTING FLUID  
GAS TREATMENT  
OCTANE BOOSTER  
OIL TREATMENT  
ENGINE FLUSH  
ENGINE STOP LEAK  
POWER STEERING FLUID  
FUEL INJECTOR CLEANER



# iLAST EXTENDED LIFE



## QUALITY & VALUE

- ★ Each batch of raw materials and finished products is carefully inspected.
- ★ Samples are kept in the production archives for two years.
- ★ State-of-the art fully equipped and certified lab on site.

## ADVANTAGES



Helps reduce harmful carbon, gum, and varnish deposits



Helps reduce smoking, leaking, knocking, and blow-by in worn engines



Superior quality specialty products for maximum performance



Provides high temperature stability, advanced corrosion, and seal protection



Provides maximum protection against freezing scale, rust, and corrosion



Provides superior lubrication and combat friction, wear, rust and oxidation



## iLAST ANTIFREEZE & COOLANT



### Premium Maxcool Antifreeze

SUPERIOR PERFORMANCE FOR LIGHT DUTY APPLICATION

iLast Premium Green Antifreeze is used as directed provides superior performance in virtually every light duty application - including light duty trucks. Compatible with Dexcool® Coolant. iLAST premium Maxcool antifreeze meets light duty ASTM D-3306 specifications and provides superior protection against freeze-up, scale build up, sludge/clogging, boil over, rusting and corrosion.

**-62°F Full Strength Concentrate and -34°F 50/50 Ready-To-Use**  
Available in 1 Gallon and 55 Gallons



### Premium Green Antifreeze

FOR PASSENGER CAR AND LIGHT DUTY DIESEL ENGINES

iLast Premium Green Antifreeze is an advanced formula product designed for use in passenger car engines and up to light duty diesel engines. It is a unique combination of corrosion inhibitors utilizing a low silicate, phosphate free formula. Can be used as a top-off but to achieve maximum protection a complete flush and fill should be performed. iLAST premium Green phosphate free and low silicate antifreeze meets light duty ASTM D-3306 specifications and provides superior protection against freeze-up, scale build up, sludge/clogging, boil over, rusting and corrosion.

**-62°F Full Strength Concentrate and -34°F 50/50 Ready-To-Use**  
Available in 1 Gallon and 55 Gallons





## Premium Light Duty Gold Antifreeze

SUPERIOR PERFORMANCE FOR LIGHT DUTY APPLICATION

iLast Gold Antifreeze offers superior performance in virtually every light duty application. Its proprietary low silicate and phosphate and 2-EH free additive package meets the performance specifications of: ASTM D-3306, JIS K 2234, GM 1825M, GM 1899M, Chrysler MS 7170, and Ford ESE-M97B44-A. iLast Gold Extended Life Antifreeze - 5 years/150,000 miles - is compatible with any color antifreeze and provides protection against freeze-up, scale build up, sludge/clogging, boil over, rusting and corrosion.

**-62°F Full Strength Concentrate and -34°F 50/50 Ready-To-Use**  
Available in 1 Gallon and 55 Gallons



## Premium Heavy Duty Red Antifreeze

SUPERIOR PROTECTION FOR LIGHT AND HEAVY DUTY APPLICATION

iLast Heavy Duty Red Antifreeze provides superior protection for both light and heavy duty applications. No need to add SCA's. Its proprietary low silicate and phosphate and 2-EH free additive package meets the performance specifications of: ASTM D-3306, HD ASTM D-6210, Ford WSS-M97B51, GM 1825M, GM 1899M, Chrysler MS 7170, Caterpillar EC-1, Detroit Diesel, Cummins Engine, John Deere, International, Case New Holland, Volvo Trucks, GE Locomotive, Freightliner, Ford ESE-M97B44-A, Mercedes, Komatsu, Navistar, and TMC RP329. Compatible with hybrid and OAT coolants.

**-62°F Full Strength Concentrate and -34°F 50/50 Ready-To-Use**  
Available in 1 Gallon and 55 Gallons

**iLAST ANTIFREEZE  
PROVIDES MAXIMUM  
PROTECTION AGAINST  
FREEZING SCALE, RUST,  
AND CORROSION**





**iLAST GREASES  
PROVIDE SUPERIOR  
LUBRICATION AND  
COMBAT FRICTION,  
WEAR, RUST AND  
OXIDATION**



## All-Purpose Lithium Grease

iLast All-Purpose Lithium Grease is a premium non-extreme pressure lithium grease with a high drop point suitable for high temperature applications. It is ideal for use in construction, logging, and industrial applications where a lithium NLGI #2 non-EP grease is suitable. Its advanced additive package helps moving components withstand heavy shock loads and prevents early wear and the polymer package reduces oil separation and resists water washout keeping the grease in applications longer.



## Hi-Temp Red Grease

iLast Hi-Temp Red Grease is engineered for extended use in many agricultural, automotive, construction, and industrial applications and provides a tough, lubricating film for moving parts. Its lithium complex and additive package provides superior protection against spalling and wear as well as excellent protection against rust and corrosion. This multi-purpose lubricant is ideal for use on wheel bearings, ball joints, universal joints, water pumps, fifth wheels, ball and roller anti-friction bearings and other applications requiring an extreme pressure high temperature lubrication.

Available in 14oz. Tube, 35lb Pail, 120lb Keg and 400lb Drum

# iLAST BRAKE FLUID

**iLAST BRAKE PROVIDES  
HIGH TEMPERATURE  
STABILITY, ADVANCED  
CORROSION, AND SEAL  
PROTECTION**



## Synthetic Dot-3 Brake Fluid

MOTOR VEHICLE BRAKE FLUID FOR DRUM & DISK BRAKES

iLast Synthetic DOT 3 Brake Fluid has a minimum boiling point of 450°F. It meets and exceeds DOT 3 and all other Federal and SAE specifications and standards for motor vehicle brake fluids. Mixes with all DOT3 approved brake fluids. Designed for use in all disc, drum and ABS brake systems requiring DOT 3 motor vehicle brake fluid.

Available in 5 US Gal



## Premium Synthetic Dot-4 Brake Fluid

MOTOR VEHICLE BRAKE FLUID FOR DRUM & DISK BRAKES

iLast Premium Synthetic DOT 4 Brake Fluid is a quality brake fluid that contains special ingredients to guard against vapor lock and moisture absorption. Exceeds requirements for both DOT 3 and DOT 4 brake fluids. Specially formulated for DOT4 brake fluid applications. Designed for use in disc, drum and ABS brake systems.

Available in 12 FL OZ



## Brake Cleaner

HIGH POWER SPRAY REMOVES BRAKE FLUID, GREASE & OIL INSTANTLY

iLast CARB Compliant Non-Chlorinated Brake Parts Cleaner is a high pressure aerosol specially formulated to clean drum, disc, brakes and ABS brake parts. It removes oil, grease, brake fluid, brake dust and contaminants quickly and with no residue from lining, pads, cylinders and springs. It does not contain chlorinated solvents and is safe for all modern ABS brake systems. Do not spray on auto finish or use on electric motors or other electric appliances. Formulated to meet VOC requirements in California.



# iLAST ADDITIVES

**iLAST ADVANCED  
CLEANING AND  
PROTECTIVE ADDITIVES  
HELP REDUCE SMOKING,  
LEAKING, KNOCKING,  
AND BLOW-BY IN WORN  
ENGINES**



## Oil Treatment

REDUCES ENGINE WEAR, QUIETS NOISY ENGINES REDUCES OIL CONSUMPTION

iLast Oil Treatment is designed to be used with every oil change to help reduce low compression, smoking, blow by and oil burning symptoms of old worn engines. iLast Oil Treatment helps worn engines run smoother and quieter coating moving parts with a tough film that decreases friction and increases power. iLast Oil Treatment contains a synthetic polymer and additives that improves the viscosity index of motor oil in gasoline and diesel engines.

Available in 12 FL OZ



## Engine Stop Leak

ELIMINATES OIL LEAKS WHEN ADDED TO MOTOR OIL

iLast Engine Oil Stop Leak is a specially formulated oil additive designed to reduce or eliminate oil leaks from old worn seals and gaskets that have shrunk due to temperature or wear. Elastomeric seals contacted by hot oil tend to shrink, harden and become less pliable; as a result oil begins leaking out. One alternative is to replace all the leaking seals; another is to add iLast Engine Oil Stop Leak. iLast Engine Oil Stop Leak contains a synthetic seal swell additive to swell seals back to their original size and helps them regain pliability. This product contains no solids that can plug oil filters and small engine oil passageways.

Available in 12 FL OZ



## Engine Flush

CLEANS ENGINES INTERNALLY USE PRIOR TO CHANGING OIL

iLast Engine Flush is a premium crankcase cleaner. While some products are only a solvent, iLast Engine Flush also contains a special residue solubilizer and a high quality oil. Used prior to changing oil, iLast Engine Flush removes sludge, gums and varnishes freeing sticking valves and rings. iLast Engine Flush provides better oil flow, helps your engine run smoother and better, and helps maintain engine power.

Available in 32 FL OZ, 1 Gallon



## Starting Fluid

FAST STARTING ON THE COLDEST DAYS FOR GAS AND DIESEL ENGINES

iLast Starting Fluid is formulated for diesel and gasoline engines to deliver maximum strength and optimum starting performance. It helps start stubborn engines quickly in cold weather, reducing drain on batteries. iLast Starting Fluid contains upper cylinder lubricant for engine protection at start up. Easy to use, works well on lawn mowers, trimmers, chain saws, motorcycles as well as automotive and heavy equipment industrial engines.

Available in NET WT 10.7 OZ. (303 g)



## Power Steering Fluid

CONTAINS CORROSION INHIBITORS MIXES WITH OTHER FLUIDS

iLast Power Steering Fluid is a high quality power steering fluid and conditioner suitable for use in most automobiles. Our Formula is made with high quality oil, plasticizers, and stabilizer additives that prevent hardening and shrinkage of seals, reduce bearing, piston and valve noise and wear. It helps stop pump squealing, protects seals, helps prevent unusual wear and provide easier, quieter and smoother steering. iLast Power Steering Fluid is formulated to be non-foaming and non-corrosive and will mix with most factory power steering fluids.

Available in 12 FL OZ



## Gas Treatment

MAXIMUM PROTECTION FOR CARBURETORS AND INJECTORS PROTECTS AGAINST GAS LINE FREEZE

iLast Gas Treatment increases performance by dissolving sludge that accumulates in the carburetor, intake valves and manifold. It combines with water to protect against gas line freeze, corrosion and gas waste. iLast Gas Treatment helps clean your entire fuel system providing easier starting, smoothing rough idling and helping to maximize fuel economy. This product is EPA registered product.

Available in 12 FL OZ





## Octane Booster

FOR MAXIMUM PERFORMANCE  
STOPS KNOCKS AND PINGS

iLast Concentrated Octane Booster is formulated to stop knocking caused by low octane fuels. Special additives increase octane, performance, clean fuel systems and improved fuel economy. iLast Octane Booster does not contain alcohol and is safe for catalytic converters and oxygen sensors. This product is EPA registered product.

Available in 12 FL OZ



## Fuel Injector Cleaner

IMPROVES POWER & ACCELERATION  
TREATS 21 GALLONS

iLast Fuel Injector Cleaner is designed to clean plugged fuel injector systems and keep them clean. Engine performance and power increases and emissions are decreased. One bottle of iLast Fuel Injector Cleaner will improve combustion and acceleration, smooth rough idling, and help maximize fuel economy. This product is EPA registered product.

Available in 12 FL OZ



**iLAST** POWERFUL CLEANING  
AGENTS HELP REDUCE  
HARMFUL CARBON, GUM,  
AND VARNISH DEPOSITS



## AVAILABLE PRODUCTS

- PREMIUM ANTIFREEZES
- ALL-PURPOSE GREASES
- SYNTHETIC DOT 3 & 4 BRAKE FLUID
- BRAKE CLEANER
- STARTING FLUID
- OCTANE BOOSTER
- OIL TREATMENT
- ENGINE FLUSH
- ENGINE STOP LEAK
- POWER STEERING FLUID
- GAS TREATMENT
- FUEL INJECTOR CLEANER
- 2-CYCLE ENGINE OIL



## SUPERIOR QUALITY

Being a B2B operation in the oil and gas industry, we understand the importance of maintaining quality. At iLast Extended Life superior quality control ensures crucial protection and extreme performance. All our products are produced under stringent quality control conditions. Highly defined specification guidelines are implemented during each stage of the manufacturing process to

ensure that all of our chemicals, motor oils, transmission fluids, hydraulics, industrial lubricants and other products meet or exceed the highest industry standards for each specification. Each product undergoes extensive testing in our laboratories and must pass certain present parameters before they are deemed ready for sale.



# iLAST PRODUCT PART NUMBERS

## Antifreeze & Coolant

Part Number	Description
FPAF500IL61GGR	Green Conventional - 50/50 1 Gal
FPAF500IL055GR	Green Conventional - 50/50 55 Gal Drum
FPAF500IL61GGL	Universal Gold Light Duty - 50/50 1 Gal
FPAF500IL055GL	Universal Gold Light Duty - 50/50 55 Gal Drum
FPAF500IL61GRD	Heavy Duty Red - 50/50 1 Gal
FPAF500IL055RD	Heavy Duty Red - 50/50 55 Gal Drum
FPAF500IL61GMC	Maxcool Orange - 50/50 1 Gal
FPAF500IL055MC	Maxcool Orange - 50/50 55 Gal Drum

## Greases

Part Number	Description
FPRED02IL400LB	Grease Red Hi-Temp #2 400LB Drum
FPRED02IL120LB	Grease Red Hi-Temp #2 120LB Keg
FPRED02IL035LB	Grease Red Hi-Temp #2 35LB Pail
FPRED02IL410PK	Grease Red Hi-Temp #2 14 oz tubes

## Additives

Part Number	Description
FPIl0002	Starting Fluid 20% Ether 10.7 oz
FPIl0008	Power Steering Fluid 12 oz
FPIl0009	Gas Treatment 12 oz
FPIl0010	Octane Booster 12 oz
FPIl0011	Fuel Injector Cleaner 12 oz
FPIl0012	Oil Treatment 12 oz
FPIl0013	Engine Oil Stop Leak 12 oz
FPIl0014	Engine Flush 32 oz
FPIl0015	Engine Flush 1 Gal

## Brake Fluid

Part Number	Description
FPIl0005	DOT 3 Brake Fluid 5 Gal Pail
FPIl0007	DOT 4 Brake Fluid 12 oz



**iLAST EXTENDED LIFE**

**iLAST SUPERIOR  
QUALITY SPECIALTY  
PRODUCTS FOR  
MAXIMUM PERFORMANCE**

**AUTOMOTIVE** CHEMICALS



For more information, please contact us at:

[info@ilast.ca](mailto:info@ilast.ca)

Unit 407 - 204 Cayer st., Coquitlam BC, V3K5B1, Canada

[www.ilast.ca](http://www.ilast.ca) | 1.888.668.6463